

BRISTOLKENDALL

Incident Type Report (Summary)

Alarm Date Between {01/01/2018} And {12/31/2018}

Incident Type	Count	Pct of Incidents	Total Est Loss	Pct of Losses
1 Fire				
1001 Fire - Mutual Aid	3	0.10%	\$0	0.00%
111 Building fire	7	0.23%	\$314,500	83.20%
1111 Building fire - Mutual Aid	20	0.68%	\$0	0.00%
113 Cooking fire, confined to container	18	0.61%	\$2,850	0.75%
114 Chimney or flue fire, confined to chimney	1	0.03%	\$500	0.13%
117 Commercial Compactor fire, confined to	1	0.03%	\$500	0.13%
118 Trash or rubbish fire, contained	1	0.03%	\$1,500	0.39%
131 Passenger vehicle fire	6	0.20%	\$34,020	9.00%
132 Road freight or transport vehicle fire	1	0.03%	\$0	0.00%
137 Camper or recreational vehicle (RV) fire	2	0.06%	\$3,500	0.92%
138 Off-road vehicle or heavy equipment fire	3	0.10%	\$5,200	1.37%
1401 Mulch fire	5	0.17%	\$100	0.02%
142 Brush or brush-and-grass mixture fire	10	0.34%	\$0	0.00%
143 Grass fire	5	0.17%	\$100	0.02%
151 Outside rubbish, trash or waste fire	8	0.27%	\$500	0.13%
154 Dumpster or other outside trash receptacle	6	0.20%	\$5,700	1.50%
162 Outside equipment fire	3	0.10%	\$2,000	0.52%
173 Cultivated trees or nursery stock fire	3	0.10%	\$5,000	1.32%
	103	3.51%	\$375,970	99.47%
2 Overpressure Rupture, Explosion, Overheat(no fire)				
221 Overpressure rupture of air or gas	1	0.03%	\$0	0.00%
251 Excessive heat, scorch burns with no	1	0.03%	\$0	0.00%
	2	0.06%	\$0	0.00%
3 Rescue & Emergency Medical Service Incident				
311 Medical assist, assist EMS crew	2	0.06%	\$0	0.00%
321 EMS call, excluding vehicle accident with	1,845	62.92%	\$0	0.00%
322 Motor vehicle accident with injuries	122	4.16%	\$0	0.00%
323 Motor vehicle/pedestrian accident (MV Ped)	7	0.23%	\$0	0.00%
324 Motor Vehicle Accident with no injuries	120	4.09%	\$0	0.00%
341 Search for person on land	3	0.10%	\$0	0.00%
350 Extrication, rescue, Other	1	0.03%	\$0	0.00%
352 Extrication of victim(s) from vehicle	1	0.03%	\$0	0.00%
353 Removal of victim(s) from stalled elevator	2	0.06%	\$0	0.00%
361 Swimming/recreational water areas rescue	1	0.03%	\$0	0.00%
362 Ice rescue	1	0.03%	\$0	0.00%
363 Swift water rescue	1	0.03%	\$0	0.00%

BRISTOLKENDALL

Incident Type Report (Summary)

Alarm Date Between {01/01/2018} And {12/31/2018}

Incident Type	Count	Pct of Incidents	Total Est Loss	Pct of Losses
3 Rescue & Emergency Medical Service Incident	2,106	71.82%	\$0	0.00%
4 Hazardous Condition (No Fire)				
4001 Odor Investigation	26	0.88%	\$0	0.00%
411 Gasoline or other flammable liquid spill	1	0.03%	\$0	0.00%
412 Gas leak (natural gas or LPG)	25	0.85%	\$0	0.00%
424 Carbon monoxide incident	29	0.98%	\$0	0.00%
441 Heat from short circuit (wiring),	1	0.03%	\$0	0.00%
442 Overheated motor	1	0.03%	\$0	0.00%
444 Power line down	14	0.47%	\$0	0.00%
4441 Blown Transformer	2	0.06%	\$0	0.00%
4442 Power line arcing	15	0.51%	\$0	0.00%
445 Arcing, shorted electrical equipment	7	0.23%	\$0	0.00%
	121	4.12%	\$0	0.00%
5 Service Call				
511 Lock-out	4	0.13%	\$0	0.00%
522 Water or steam leak	7	0.23%	\$0	0.00%
541 Animal problem	1	0.03%	\$0	0.00%
542 Animal rescue	2	0.06%	\$0	0.00%
551 Assist police or other governmental agency	12	0.40%	\$0	0.00%
553 Public service	17	0.57%	\$2,000	0.52%
554 Assist invalid	2	0.06%	\$0	0.00%
555 Defective elevator, no occupants	3	0.10%	\$0	0.00%
561 Unauthorized burning	3	0.10%	\$0	0.00%
571 Cover assignment, standby, moveup	7	0.23%	\$0	0.00%
5711 EMS Cover assignment, standby, moveup	121	4.12%	\$0	0.00%
5712 Fire Cover assignment, standby, moveup	6	0.20%	\$0	0.00%
	185	6.30%	\$2,000	0.52%
6 Good Intent Call				
6001 Good intent call, Salamander Heater	3	0.10%	\$0	0.00%
6002 Good intent call, Telephone/Cable Line	8	0.27%	\$0	0.00%
611 Dispatched & cancelled en route	10	0.34%	\$0	0.00%
6111 Fire Dispatched & cancelled en route	24	0.81%	\$0	0.00%
6112 EMS Dispatched & cancelled en route	52	1.77%	\$0	0.00%
6211 Wrong location, not our district	1	0.03%	\$0	0.00%
622 No Incident found on arrival at dispatch	18	0.61%	\$0	0.00%
631 Authorized controlled burning	11	0.37%	\$0	0.00%

BRISTOLKENDALL

Incident Type Report (Summary)

Alarm Date Between {01/01/2018} And {12/31/2018}

Incident Type	Count	Pct of Incidents	Total Est Loss	Pct of Losses
6 Good Intent Call				
651 Smoke scare, odor of smoke	16	0.54%	\$0	0.00%
652 Steam, vapor, fog or dust thought to be	5	0.17%	\$0	0.00%
653 Smoke from barbecue, tar kettle	1	0.03%	\$0	0.00%
	149	5.08%	\$0	0.00%
7 False Alarm & False Call				
7111 Malicious False Alarm - Pull Station	4	0.13%	\$0	0.00%
721 Bomb scare - no bomb	1	0.03%	\$0	0.00%
7311 Sprinkler activation due to broken/leaking	5	0.17%	\$0	0.00%
733 Smoke detector activation due to	53	1.80%	\$0	0.00%
7331 Duct detector activation due to	1	0.03%	\$0	0.00%
7332 Smoke detector activation due to	9	0.30%	\$0	0.00%
7333 Smoke detector activation due to low	1	0.03%	\$0	0.00%
734 Heat detector activation due to malfunction	2	0.06%	\$0	0.00%
735 Alarm system sounded due to malfunction	29	0.98%	\$0	0.00%
736 CO detector activation due to malfunction	14	0.47%	\$0	0.00%
741 Sprinkler activation, no fire -	2	0.06%	\$0	0.00%
7411 Sprinkler activation, no fire - broken	4	0.13%	\$0	0.00%
743 Smoke detector activation, no fire -	29	0.98%	\$0	0.00%
7431 Smoke detector activation, no fire - low	7	0.23%	\$0	0.00%
744 Detector activation, no fire -	7	0.23%	\$0	0.00%
745 Alarm system activation, no fire -	66	2.25%	\$0	0.00%
7451 Alarm system activation, Trouble Alarm	10	0.34%	\$0	0.00%
7452 Alarm system activation, no fire	11	0.37%	\$0	0.00%
7453 Alarm activation, low temperature alarm	4	0.13%	\$0	0.00%
746 Carbon monoxide detector activation, no CO	7	0.23%	\$0	0.00%
	266	9.07%	\$0	0.00%

Total Incident Count: 2932

Total Est Loss:

\$377,970

BRISTOLKENDALL

Incident Type Period Comparisons

Alarm Date Between {01/01/2018} and {12/31/2018}

Incident Type	01/01/2018	01/01/2017	01/01/2016	01/01/2015
	to 12/31/2018	to 12/31/2017	to 12/31/2016	to 12/31/2015
100 Fire, Other	0	1	2	0
1001 Fire - Mutual Aid	3	1	1	1
111 Building fire	7	13	9	17
1111 Building fire - Mutual Aid	20	18	24	19
113 Cooking fire, confined to container	18	8	16	14
114 Chimney or flue fire, confined to chimney or	1	0	0	2
117 Commercial Compactor fire, confined to rubbish	1	1	0	0
118 Trash or rubbish fire, contained	1	4	3	1
130 Mobile property (vehicle) fire, Other	0	1	0	0
131 Passenger vehicle fire	6	7	8	10
132 Road freight or transport vehicle fire	1	2	2	2
134 Water vehicle fire	0	0	1	0
137 Camper or recreational vehicle (RV) fire	2	0	0	1
138 Off-road vehicle or heavy equipment fire	3	1	0	0
1381 Farm Tractor	0	1	1	0
140 Natural vegetation fire, Other	0	1	0	1
1401 Mulch fire	5	7	5	5
1402 Tree Fire	0	1	2	1
142 Brush or brush-and-grass mixture fire	10	6	7	9
143 Grass fire	5	1	3	4
151 Outside rubbish, trash or waste fire	8	7	8	6
154 Dumpster or other outside trash receptacle fire	6	4	4	2
160 Special outside fire, Other	0	0	1	0
162 Outside equipment fire	3	0	0	1
171 Cultivated grain or crop fire	0	1	1	5
173 Cultivated trees or nursery stock fire	3	0	0	0
221 Overpressure rupture of air or gas pipe/pipeline	1	0	0	0
251 Excessive heat, scorch burns with no ignition	1	0	3	1
311 Medical assist, assist EMS crew	2	6	6	0
320 Emergency medical service, other	0	0	0	1
321 EMS call, excluding vehicle accident with injury	1845	1810	1885	1671
322 Motor vehicle accident with injuries	122	156	173	146
323 Motor vehicle/pedestrian accident (MV Ped)	7	5	5	3
324 Motor Vehicle Accident with no injuries	120	78	81	86
331 Lock-in (if lock out , use 511)	0	0	1	0
341 Search for person on land	3	3	0	4
350 Extrication, rescue, Other	1	0	1	0
351 Extrication of victim(s) from building/structure	0	1	0	0
352 Extrication of victim(s) from vehicle	1	0	1	0
353 Removal of victim(s) from stalled elevator	2	0	2	0
360 Water & ice-related rescue, other	0	1	0	1

BRISTOLKENDALL

Incident Type Period Comparisons

Alarm Date Between {01/01/2018} and {12/31/2018}

Incident Type	01/01/2018	01/01/2017	01/01/2016	01/01/2015
	to 12/31/2018	to 12/31/2017	to 12/31/2016	to 12/31/2015
361 Swimming/recreational water areas rescue	1	0	0	0
362 Ice rescue	1	0	0	0
363 Swift water rescue	1	0	0	0
372 Trapped by power lines	0	1	0	0
4001Odor Investigation	26	28	27	26
410 Combustible/flammable gas/liquid condition,	0	0	0	1
411 Gasoline or other flammable liquid spill	1	4	5	6
412 Gas leak (natural gas or LPG)	25	15	13	21
413 Oil or other combustible liquid spill	0	2	1	1
423 Refrigeration leak	0	1	0	0
424 Carbon monoxide incident	29	15	9	8
440 Electrical wiring/equipment problem, Other	0	1	1	3
441 Heat from short circuit (wiring), defective/worn	1	1	0	1
442 Overheated motor	1	3	3	5
443 Breakdown of light ballast	0	3	0	0
444 Power line down	14	12	8	7
4441Blown Transformer	2	0	0	1
4442Power line arcing	15	10	8	7
445 Arcing, shorted electrical equipment	7	2	8	7
461 Building or structure weakened or collapsed	0	1	0	0
511 Lock-out	4	0	2	1
520 Water problem, Other	0	0	0	1
522 Water or steam leak	7	7	2	8
531 Smoke or odor removal	0	2	0	0
541 Animal problem	1	0	0	0
542 Animal rescue	2	2	2	1
551 Assist police or other governmental agency	12	6	4	13
552 Police matter	0	0	1	0
553 Public service	17	12	10	6
554 Assist invalid	2	6	5	1
555 Defective elevator, no occupants	3	2	2	0
561 Unauthorized burning	3	0	0	0
571 Cover assignment, standby, moveup	7	3	6	6
5711EMS Cover assignment, standby, moveup	121	168	94	113
5712Fire Cover assignment, standby, moveup	6	17	16	17
600 Good intent call, Other	0	3	2	1
6001Good intent call, Salamander Heater	3	1	0	0
6002Good intent call, Telephone/Cable Line Down	8	9	10	14
611 Dispatched & cancelled en route	10	10	16	20
6111Fire Dispatched & cancelled en route	24	24	24	18
6112EMS Dispatched & cancelled en route	52	42	34	47

BRISTOLKENDALL

Incident Type Period Comparisons

Alarm Date Between {01/01/2018} and {12/31/2018}

Incident Type	01/01/2018	01/01/2017	01/01/2016	01/01/2015
	to 12/31/2018	to 12/31/2017	to 12/31/2016	to 12/31/2015
6211Wrong location, not our district	1	1	1	1
622 No Incident found on arrival at dispatch address	18	13	23	22
631 Authorized controlled burning	11	9	8	9
632 Prescribed fire	0	0	0	1
651 Smoke scare, odor of smoke	16	13	11	9
652 Steam, vapor, fog or dust thought to be smoke	5	3	2	2
653 Smoke from barbecue, tar kettle	1	1	0	2
700 False alarm or false call, Other	0	0	1	1
7111Malicious False Alarm - Pull Station	4	2	7	4
721 Bomb scare - no bomb	1	0	2	0
730 System malfunction, Other	0	0	0	1
731 Sprinkler activation due to malfunction	0	2	1	1
7311Sprinkler activation due to broken/leaking pipe	5	2	0	3
733 Smoke detector activation due to malfunction	53	21	23	21
7331Duct detector activation due to malfunction	1	2	4	1
7332Smoke detector activation due to condensation	9	3	12	11
7333Smoke detector activation due to low battery	1	3	2	6
734 Heat detector activation due to malfunction	2	1	3	1
735 Alarm system sounded due to malfunction	29	21	24	32
736 CO detector activation due to malfunction	14	17	13	21
740 Unintentional transmission of alarm, Other	0	1	1	0
741 Sprinkler activation, no fire - unintentional	2	2	1	2
7411Sprinkler activation, no fire - broken pipe/head	4	2	6	1
742 Extinguishing system activation	0	0	0	1
743 Smoke detector activation, no fire -	29	37	35	21
7431Smoke detector activation, no fire - low battery	7	4	3	4
744 Detector activation, no fire - unintentional	7	6	7	5
745 Alarm system activation, no fire - unintentional	66	75	72	57
7451Alarm system activation, Trouble Alarm	10	8	25	6
7452Alarm system activation, no fire maintenance	11	20	24	13
7453Alarm activation, low temperature alarm	4	1	2	0
7454Alarm activation, high temperature alarm	0	0	6	0
746 Carbon monoxide detector activation, no CO	7	8	18	20
814 Lightning strike (no fire)	0	1	3	1
911 Citizen complaint	0	0	0	1
Totals	<u>2932</u>	<u>2838</u>	<u>2909</u>	<u>2656</u>